

Intelligent Decisioning

- [\[REDACTED\]](#)
- [SAS Studio \[REDACTED\] DS2 \[REDACTED\]](#)

????????????????????????????????????

sas.referencedata.activation.activateGlobalVariableOnImport ☐

https://go.documentation.sas.com/doc/jp/edmcddc/v_056/edmag/n18wqmqx6oses9n1rgxsb2hdtdml.htm#p0gy0cgi56mr34n1tlaev51z8gzv

SAS Studio?DS2????????????????

□□□□□□□□

`${PACKAGE_NAME}` □□□□

DS2□□□□□□□□□□

`proc ds2; □ end;` □□□□

https://go.documentation.sas.com/doc/ja/edmcddc/v_056/edmug/n10dh0jke5q5uvn1kp4wcrbqypkl.htm#n0jxmwswjlcwvn1kath1xin4pcl

□□□□

```
proc ds2;
  package "${PACKAGE_NAME}" /inline;
  method execute(/* □□□□□ □/);
    /* □□□□ □/
  end;
endpackage;
run;
quit;
```

□□□□

```
proc ds2;
  package "testCustomCode" /overwrite=yes;
  method execute(/* □□□□□ □/);
    /* □□□□ □/
  end;
endpackage;
run;
quit;
```